

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10/698708"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 18:36
L2	1	"10698708"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 18:37
L3	0	"10698708".apn.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 18:41
L4	0	"10698708".ap.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 18:41
L5	1	"10698708"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 18:43
S1	0	"10698708".an.	US-PGPUB; USPAT	OR	ON	2007/09/13 13:30
S2	0	"10698708".rean.	US-PGPUB; USPAT	OR	ON	2007/03/14 18:10
S3	0	"10698708".ap.	US-PGPUB; USPAT	OR	ON	2007/03/14 18:10
S4	0	"10698708".apn.	US-PGPUB; USPAT	OR	ON	2007/03/14 18:11
S5	1	"20020152273"	US-PGPUB; USPAT	OR	ON	2007/03/14 18:19
S6	0	(data adj strucutre) with (location and pointer)	US-PGPUB; USPAT	OR	ON	2007/03/14 18:23
S7	7	(data adj strucutre)	US-PGPUB; USPAT	OR	ON	2007/03/14 18:25
S8	716767	network	US-PGPUB; USPAT	OR	ON	2007/03/14 18:23

S9	8	(data adj strucutre)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/03/14 20:23
S10	126790	(data adj structure)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/03/14 20:23
S11	14522	(data adj structure) with (address or location)	US-PGPUB; USPAT	OR	ON	2007/03/14 21:17
S12	5377	((data adj structure) with (address or location)) and @ay<"2001"	US-PGPUB; USPAT	OR	ON	2007/03/14 21:32
S13	108	((data adj structure) with (address or location) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT	OR	ON	2007/03/14 21:33
S14	3	((data adj structure) with (coordinate) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT	OR	ON	2007/03/14 21:33
S15	1	"20010046228"	US-PGPUB; USPAT	OR	ON	2007/09/13 13:30
S16	3	((data adj structure) with (coordinate) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:10
S17	115	((data adj structure) with (address or location) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:10
S18	33	((data adj structure) with (location) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:11
S19	5	((data adj structure) with (location near (information or data)) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:15

S20	1	709/203.ccls. and ((data adj structure) with (location near (information or data)) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:31
S21	1	709/223.ccls. and ((data adj structure) with (location) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:32
S22	4	709/223.ccls. and ((data adj structure) with (address or location) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:32
S23	10	709/203.ccls. and ((data adj structure) with (address or location) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT	OR	ON	2008/09/08 17:33
S24	1901	(coordinate with (geographic\$2 adj2 location))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/23 19:26
S25	125	(coordinate with (geographic\$2 adj2 location)) and "709". clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/23 19:26
S26	27	@ay<"2002" and (coordinate with (geographic\$2 adj2 location)) and "709". clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/23 19:27
S27	2	"20010046228" "7330883".pn.	US-PGPUB; USPAT	OR	ON	2009/12/29 19:04
S28	1571	(coordinate same (url or uri or (uniform adj resource adj (locator or identifier))))	US-PGPUB; USPAT	OR	ON	2009/12/29 20:29
S29	460	@ay<"2002" and (coordinate same (url or uri or (uniform adj resource adj (locator or identifier))))	US-PGPUB; USPAT	OR	ON	2009/12/29 20:30

S30	0	@ay<"2002" and (coordinate same (url or uri or (uniform adj resource adj (locator or identifier)))) and (virtual adj beacon)	US-PGPUB; USPAT	OR	ON	2009/12/29 20:30
S31	11	@ay<"2002" and (coordinate same (url or uri or (uniform adj resource adj (locator or identifier)))) and (beacon)	US-PGPUB; USPAT	OR	ON	2009/12/29 20:30
S32	13	((URL with coordinate with (data adj structure))	US-PGPUB; USPAT	OR	ON	2009/12/30 15:58
S33	13	((URL or URI) with coordinate with (data adj structure))	US-PGPUB; USPAT	OR	ON	2009/12/30 16:04
S34	14	((URL or URI) with coordinate with (data adj structure))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:04
S35	1	S34 not S32	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:04
S36	21	((data adj structure) same ((URL or URI) with coordinate))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:06
S37	7	S36 not S34	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:07
S38	57	((data adj structure) or tuple or record) same ((URL or URI) with coordinate))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:11
S39	30	((data adj structure) or tuple or record) with ((URL or URI) with coordinate))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:11
S40	15	S39 not S36	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:11
S41	27	S38 not S39	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:16

S42	43	((data adj structure) or tuple or record) with ((URL or URI) with (coordinate or gps)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:26
S43	13	S42 not S39	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/12/30 16:27
S44	15	((URL or URI) with coordinate with (data adj structure))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/05/19 21:43
S45	27	@ay<"2002" and (coordinate with (geographic\$2 adj2 location)) and "709". clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/05/19 21:43
S46	5	((data adj structure) with (location near (information or data)) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/05/19 21:43
S47	2	("6122520" "7035896"). pn.	US-PGPUB; USPAT	OR	ON	2010/11/20 00:11
S48	0	"10128595"	US-PGPUB; USPAT	OR	ON	2010/11/20 00:22
S49	0	"10128595".ap.	US-PGPUB; USPAT	OR	ON	2010/11/20 00:22
S50	0	"10128595".apn.	US-PGPUB; USPAT	OR	ON	2010/11/20 00:22
S51	0	"10698708".apn.	US-PGPUB; USPAT	OR	ON	2010/11/20 00:23
S52	0	"10698708".ap.	US-PGPUB; USPAT	OR	ON	2010/11/20 00:23
S53	1	"10698708"	US-PGPUB; USPAT	OR	ON	2010/11/20 00:23
S54	1	"10698708"	US-PGPUB; USPAT; USOCR	OR	ON	2010/11/20 00:23
S55	1	"10698708"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/20 00:23
S56	0	"10698708".ap.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/20 00:24
S57	0	"10698708".apn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/20 00:24

S58	5	((data adj structure) with (location near (information or data)) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/20 14:12
S59	9	((data adj structure) with ((location near (information or data)) or coordinate) with (URL or URI or phone or telephone)) and @ay<"2001"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/20 14:13
S60	38	((data adj structure) or tuple or record) with ((URL or URI) with coordinate))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/20 14:18
S61	284	@ay<"2001" and ((tuple or record or (data adj structure)) with (address or coordinate) with url)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/13 21:09
S62	11	@ay<"2001" and ((tuple or record or (data adj structure)) with (address or coordinate) with url) and ((client or user) with (location or address or coordinates) with (hidden or secret or anonymous))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/13 21:09
S63	53	@ay<"2001" and ((tuple or record or (data adj structure)) with (address or coordinate) with url) and ((client or user) with (location or address or coordinates) with (hidden or secret or anonymous or without))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 10:56
S64	10	@ay<"2001" and ((tuple or record or (data adj structure)) with (address or coordinate) with url) and ((client or user) with (location or address or coordinates) near2 (hidden or secret or anonymous or without))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 10:58

S65	12498	@ay<"2001" and ((without or conceal\$3 or hid\$3 or anonymous) with (location or address) with (user or customer or client or device))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 17:57
S66	1333	@ay<"2001" and "709". clas. and ((without or conceal\$3 or hid\$3 or anonymous) with (location or address) with (user or customer or client or device))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 17:57
S67	3	@ay<"2001" and "709". clas. and ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device)) and ((data adj structure) with (url or uri) with (location\$2 or address or coordinate))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 17:59
S68	62	@ay<"2001" and "709". clas. and ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device) with (beacon or distribut\$3 or advertis\$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 18:18
S69	0	@ay<"2001" and "709". clas. and ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device) with (beacon))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 18:18
S70	62	@ay<"2001" and "709". clas. and ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device) with (distribut\$3 or advertis\$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 18:19

S71	12	@ay<"2001" and "709". clas. and ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device) with (advertis \$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 18:19
S72	0	@ay<"2001" and "709". clas. and ((push\$3 or broadcast\$3 or distribut \$5 or advertis\$5) with (proximity or close\$5)) same ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device) with (advertis \$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 19:42
S73	1	@ay<"2001" and "709". clas. and ((push\$3 or broadcast\$3 or distribut \$5 or advertis\$5) with (proximity or close\$5)) same ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 19:44
S74	4	@ay<"2001" and "709". clas. and ((push\$3 or broadcast\$3 or distribut \$5 or advertis\$5) with (proximity or close\$5)) same ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 19:55

S75	14622448	@ay< "2001" and ((push \$3 or broadcast\$3 or distribut\$5 or advertis \$5) with (proximity or close\$5)) same ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 19:56
S76	23	@ay< "2001" and ((push \$3 or broadcast\$3 or distribut\$5 or advertis \$5) with (proximity or close\$5)) same ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 19:56
S77	32	@ay< "2001" and ((push \$3 or broadcast\$3 or distribut\$5 or advertis \$5) with (proximity or close\$5 or range or nearby)) same ((without or conceal\$3 or hid\$3 or anonymous) with (location or address or coordinate) with (user or customer or client or device))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 20:14
S78	9	S77 not S76	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/07/14 20:14
S79	0	("6122520" "6961555") and ("not" near2 (locat \$6 or find))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:37
S80	0	("6122520" "6961555") and ("not" near2 (locat \$6 or find\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:37

S81	1	("6122520" "6961555") and (deter)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:37
S82	164	("6122520" "6961555") and (prevent\$5 or protect\$5 or secur\$5)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:38
S83	1	("6122520" "6961555"). pn. and (prevent\$5 or protect\$5 or secur\$5)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:38
S84	3	("6122520" "6961555"). pn. and (locat\$5)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:39
S85	0	("6122520" "6961555"). pn. and (keep with locat \$5)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:40
S86	2	("6122520" "6961555"). pn. and (provid\$3 with locat\$5)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:41
S87	1	("6122520" "6961555"). pn. and (without with locat\$5)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 14:49
S88	0	("6122520" "6961555"). pn. and (buffer\$3 with time)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 17:22
S89	0	("6122520" "6961555"). pn. and (buffer\$3 same time)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2012/01/24 17:22

EAST Search History (I nterference)

< This search history is empty >

1/ 24/ 12 8:40:37 PM**C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces\ azizul10698708.wsp**